

# iON 104 KNX SR

Item no.: 4969254



Home and Building control  
KNX

## Description

- Push-button sensor with 4 buttons and 4 status LEDs with integrated temperature sensor
- Secure communication with support of „KNX Data Secure“
- For controlling of the functions switching, dimming, blinds, value transmitter, operating mode, scene, color control, sequence
- Up to 3 different telegrams per button
- Sending different telegrams with a short, long or double click
- Multi-colored status LEDs with adjustable colors for each LED separately
- Behavior of each status LED can be set: static, flashing or pulsing
- Brightness of each status LED can be individually adjusted via object or parameter
- Automatic brightness control of the status LEDs depending on the ambient brightness
- Integrated temperature sensor for visualization and temperature control via heating actuators
- Function monitoring via object (signaling dismantling)
- Installation of two iON push button sensors on standard double socket with accessory possible
- Transparent cover for individual labeling in the scope of delivery



## Technical data

| iON 104 KNX SR        |                             |
|-----------------------|-----------------------------|
| Operating voltage KNX | Bus voltage, $\leq 12.5$ mA |
| Type of connection    | KNX bus terminal            |
| Colour                | Silver (similar RAL 9006)   |
| Ambient temperature   | -5°C ... 45°C               |

| iON 104 KNX SR     |       |
|--------------------|-------|
| Type of protection | IP 20 |
| Protection class   | III   |

Subject to technical changes and misprints

additional information at: [www.theben.de/product/4969254](http://www.theben.de/product/4969254)


The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

# iON 104 KNX SR

Item no.: 4969254

**theben**


## Scale drawings



## Accessories

2-way mounting plate iON BK

Item no.: 9070855



Subject to technical changes and misprints

additional information at: [www.theben.de/product/4969254](http://www.theben.de/product/4969254)

The load data are determined with exemplary selected illuminants and are therefore typical data due to the large number of available products.

04/06/2023

Page 2 of 2