


## EMSKV 20 EMV-Z

EMC-cable gland, brass with short thread



Products may differ in size, colour and appearance to those shown. If you require further information or customisation, please contact us directly.



|                                |                           |
|--------------------------------|---------------------------|
| Material cable gland           | Brass nickel-plated       |
| Material sealing gasket        | EPDM                      |
| Material clamping cage         | Polyamide                 |
| Material earthing insert       | Brass chromium-plated     |
| Temp. range min                | -40 °C                    |
| Temp. range max                | 100 °C                    |
| Protection class               | IP69, IP68 (5 bar 30 min) |
| Thread type                    | M                         |
| Ø Connection thread D          | 20                        |
| Lead                           | 1,5                       |
| Length screw-in thread L       | 6 mm                      |
| Ø cable diameter min           | 6 mm                      |
| Ø cable diameter max           | 13 mm                     |
| Ø cable below cable shield max | 9,5 mm                    |
| Key width SW                   | 24 mm                     |
| Collar diameter (E)            | 27 mm                     |
| Total length TL                | 29 mm - 37 mm             |
| Type of cable anchorage        | A                         |
| Install. torques cap nut       | 8 N m                     |
| Install. torques fitting       | 8 N m                     |
| Impact category                | 6                         |
| Surface                        | Nickel-plated             |
| Order no. nickel-plated        | 10065018                  |
| Type                           | EMSKV 20 EMV-Z            |
| Packing unit                   | 50                        |

Your Contact:

WISKA Hoppmann GmbH

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

|                            |               |
|----------------------------|---------------|
| <b>Tariff number</b>       | 85369010      |
| <b>EAN number</b>          | 4007685650182 |
| <b>ETIM-Classification</b> | EC000441      |

## Recommended accessories

|                    |          |
|--------------------|----------|
| <b>RDE 20</b>      | 10062185 |
| <b>EMMU-EMV 20</b> | 10063212 |
| <b>BS 13</b>       | 10064010 |

24.10.2023

Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice



Your Contact:

**WISKA Hoppmann GmbH**

Kisdorfer Weg 28 · 24568 Kaltenkirchen · Germany

☎ +49-4191-508-0 · 📠 +49-4191-508-209

contact@wiska.de · www.wiska.com

Other technical data on request / subject to change without notice